UNITED STATES DISTRICT COURT SOUTHERN DISTRICT OF OHIO **EASTERN DIVISION**

IN	RE:	DAV	OL, IN	C./C.R.	BARD	, INC.,
PO	LYI	PROP	YLENI	HER	NIA MI	SH
PR	ODI	JCTS	LIABI	LITY I	ITIGA	TION

Case No. 2:18-md-2846

CHIEF JUDGE EDMUND A. SARGUS, JR.

		Magistrate Judge Kimberly A. Jolson
	s document relates to: TOR KIRKLAND	Civil Action No
	SHOR	T FORM COMPLAINT
	Plaintiff(s) file(s) this Short For	m Complaint pursuant to Case Management Order No.
and is	s/are to be bound by the rights,	protections, and privileges and obligations of that Order
Plaint	iff(s) hereby incorporate(s) the	Master Complaint in MDL No. 2846 by reference
Plaint	iff(s) further show(s) the Court as	s follows:
1.	The name of the person implant	ted with Defendants' Hernia Mesh Device(s):
	Victor Kirkland	
2.	The name of any Consortium Pl	aintiff (if applicable):
3.	Other Plaintiff(s) and Capacity (— (i.e., administrator, executor, guardian, conservator):
4.	State of Residence:	_
	Maryland	
5.	District Court and Division in w	hich action would have been filed absent direct filing:

District of Maryland, Northern District

6.	Defe	Defendants (Check Defendants against whom Complaint is made):					
	X	A. Davol, Inc.					
	X	B. C.R. Bard, Inc.					
		C. Other (please list:					
7.	Iden devi	tify which of Defendants' Hernia Mesh Device(s) was/were implanted (Check ce(s) implanted):					
		3DMax Mesh					
		3DMax Light Mesh					
	X	Bard (Marlex) Mesh Dart					
		Bard Mesh					
		Bard Soft Mesh					
		Composix					
		Composix E/X					
		Composix Kugel Hernia Patch					
		Composix L/P					
		Kugel Hernia Patch					
		Marlex					
		Modified Kugel Hernia Patch					
		Perfix Light Plug					
	X	PerFix Plug					
		Sepramesh IP					
		Sperma-Tex					
		Ventralex Hernia Patch					
		Ventralex ST Patch					

		Ventralight ST
		Ventrio Patch
		Ventrio ST
		Visilex
		Other (please list in space provided below):
8.	Defer appli	ndants' Hernia Mesh Device(s) about which Plaintiff is making a claim (Check cable device(s)):
		3DMax Mesh
		3DMax Light Mesh
		Bard (Marlex) Mesh Dart
		Bard Mesh
		Bard Soft Mesh
		Composix
		Composix E/X
		Composix Kugel Hernia Patch
		Composix L/P
		Kugel Hernia Patch
		Marlex
		Modified Kugel Hernia Patch
		Perfix Light Plug
	x	PerFix Plug

		Sepramesh IP
		Sperma-Tex
		Ventralex Hernia Patch
		Ventralex ST Patch
		Ventralight ST
		Ventrio Patch
		Ventrio ST
		Visilex
		Other (please list in space provided below):
9.	Date	of Implantation and state of implantation: 7/30/2018
10.	Defe	of the date of filing this Short Form Complaint, has the person implanted with indants' Hernia Mesh Device(s) had subsequent surgical intervention due to the Hernia in Device(s)?: Yes No_X
11.	Basis	s of Jurisdiction:
	X	Diversity of Citizenship
		Other:
12.	Coun	ts in the Master Complaint adopted by Plaintiff(s):
	X	Count I – Strict Product Liability- Defective Design
	X	Count II – Strict Product Liability- Failure to Warn
	X	Count III - Strict Product Liability- Manufacturing Defect
		Count IV- Negligence

X	Count V- Negligence Per Se
X	Count VI- Gross Negligence
	Count VII – State Consumer Protection Laws (Please identify applicable State Consumer Protection law(s)):

X	Count VIII - Breach of Implied Warranty
X	Count IX - Breach of Express Warranty
	Count X – Negligent Infliction of Emotional Distress
	Count XI – Intentional Infliction of Emotional Distress
X	Count XII - Negligent Misrepresentation
X	Count XIII - Fraud and Fraudulent Misrepresentation
X	Count XIV – Fraudulent Concealment
	Count XV – Wrongful Death
	Count XVI – Loss of Consortium
X	Count XVII – Punitive Damages
	Other Count(s) (please identify and state factual and legal bases for other claims not included in the Master Complaint below):
X	Jury Trial is Demanded as to All Counts
	Jury Trial is NOT Demanded as to All Counts; if Jury Trial is Demanded as to Any Count(s), identify which ones (list below):

Dated: 2/26/2021

/s/ Mark E. Herman

Mark E. Herman, Esquire
(MD Bar No. CPF 7911010162)
14 W. Madison Street
Baltimore, Maryland 21201
410-837-2144
markherman@wgk-law.com

Attorney for Plaintiff